

DOOR SCHEDULE

DR#	DOOR OPENING	STILE	HUNG	SMING	HINGED	HDWR
100.1	6'-0" × 8'-0"	MIDE	OFFSET	0	PAIR	0
100.2	6'-0" × 8'-0"	MIDE	OFFSET	OUT	PAIR	02
2 3.	3'-0" × 7'-0"	MIDE	OFFSET	IX	RIGHT	21
226.1	6'-0" × 7'-0"	MIDE	OFFSET	OUT	PAIR	17
240.1	3'-0" × 7'-0"	MIDE	OFFSET	OUT	LEFT	20

HARDWARE SCHEDULE

HARDWARE NOT BY HARRIS GLASS

HARDWARE #01

DOORS: 101

2 EA	CONTINUOUS HINGE	224HD TW8	626	I√E
IEA	PANIC HARDWARE	EL9847E0	626	YON
IEA	PANIC HARDWARE	EL9847NL-OP	626	YON
IEA	RIM CYLINDER	20-757	626	SCH
2 EA	OFFSET DOOR PULL	8190-0-0	630	IVE
2 EA	SURFACE CLOSER	4041 DEL SCUSH	689	LCN
2 EA	MOUNTING PLATE	4040-18PA	689	LCN
2 EA	DOOR SWEEP	C607A	AL	NGP
IEA	THRESHOLD	THRESHOLD AS DETAILED	AL	NGP
IEA	POWER SUPPLY	PS873-2	GRY	VON

HARDWARE #02

DOORS: 102

2 EA	CONTINUOUS HINGE	224HD TW8	626	I√E
IEA	PANIC HARDWARE	EL9847E0	626	YON
IEA	PANIC HARDWARE	EL9847NL-0P	626	YON
I EA	RIM CYLINDER	20-757	626	SCH
2 EA	OFFSET DOOR PULL	8190-0-0	630	IVE
2 EA	DOOR SWEEP	C607A	AL	NGP
I EA	THRESHOLD	THRESHOLD AS DETAILED	AL	NGP
I EA	POWER SUPPLY	PS873-2	GRY	YON
•			•	

STANLEY "MAGIC FORCE" OPERATOR, ACTUATORES AND DOOR STOPS BY OTHERS

HARDWARE SCHEDULE con't.

HARDWARE #17

HARDWARE NOT BY HARRIS GLASS

DOORS. 2261

2 EA CONTINUOUS HINGE 224HD 626 IVE I EA 3PT DEADLOCK MSI950 X 4016 X 4015 - ADVISE BACKSET 628 ADA 2 EA MORTISE CYLINDER 20-766 626 SCH I EA EXIT INDICATOR 4089 628 ADA I EA TT3 TRI 2 EA PUSH/PULL BAR 9190-0-NO 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP FS436 626 IVE	DOOKS: 226.1						
2 EA MORTISE CYLINDER 20-766 626 SCH I EA EXIT INDICATOR 4089 628 ADA I EA TT3 TRI 2 EA PUSH/PULL BAR 9190-0-NO 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP F5436 626 IVE	2 EA	CONTINUOUS HINGE	224HD	626	IVE		
2 EA MORTISE CYLINDER 20-766 626 SCH I EA EXIT INDICATOR 4089 628 ADA I EA TT3 TRI 2 EA PUSH/PULL BAR 9190-0-No 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP F5436 626 IVE	I EA	3PT DEADLOCK	MS1950 X 4016 X 4015 - ADVISE BACKSET	628	ADA	6	
I EA T13 TRI 2 EA PUSH/PULL BAR 9190-0-No 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP F5436 626 IVE	2 EA	MORTISE CYLINDER	20-766	626	SCH		
2 EA PUSH/PULL BAR 9190-0-NO 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP FS436 626 IVE	I EA	EXIT INDICATOR	4089	628	ADA		
2 EA PUSH/PULL BAR 9190-0-No 630 IVE 2 EA SURFACE CLOSER 4041 EDA 689 LCN 2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP FS436 626 IVE	IEA		773		TRI		
2 EA MOUNTING PLATE 4040-18PA 630 IVE 2 EA KICK PLATE 8400 IO" X I" LDW 630 IVE 2 EA DOME STOP FS436 626 IVE	2 EA	PUSH/PULL BAR	9190-0-NO	630	IVE	0	
2 EA KICK PLATE 8400 10" X 1" LDW 630 IVE 5. 2 EA DOME STOP FS436 626 IVE	2 EA	SURFACE CLOSER	4041 EDA	689	LCN		
2 EA DOME STOP F5436 626 IVE	2 EA	MOUNTING PLATE	4040-18PA	630	IVE		
	2 EA	KICK PLATE	8400 10" X 1" LDW	630	IVE	S.	
LIGHT GEALG FOEOR RPN NGP	2 EA	DOME STOP	F5436	626	IVE		
1 SET SEALS SOSOB DRN NOT	I SET	SEALS	5050B	BRN	NGP		

HARDWARE #20

DOORS: 240.

3 EA	HINGE	5BBI 4.5 X 4.5	652	IVE	
IEA	CLASSROOM LOCK	L9070L 17A	626	SCH	
IEA	MORTISE CYLINDER	20-776	626	SCH	
I EA	SURFACE CLOSER	P404I	689	LCN	
I EA	MOUNTING PLATE	4040-18PA	689	LCN	
I EA	KICK PLATE	8400 10" X 2" LDW	630	IVE	
I EA	WALL STOP	W5406CVX	630	IVE	
I SET	SEALS	5050B	BRN	NGP	

HARDWARE #21

DOORS: 213.1

3 EA	HINGE	5BBI 4.5 X 4.5	652	IVE
IEA	CLASSROOM LOCK	L9070L ITA	626	SCH
IEA	MORTISE CYLINDER	20-776	626	SCH
I EA	SURFACE CLOSER	P404I	689	LCN
I EA	KICK PLATE	8400 10" X 2" LDW	630	IVE
I EA	WALL STOP	W5406CVX	630	I√E
I SET	SEALS	5050B	BRN	NGP

GLAZING SCHEDULE

VISION GLASS W/ SILKSCREEN DOT PATTERN (2) WITH A 1/2"
AIR SPACE, INBOARD LITE: 1/4" THK. CLEAR GLASS W/
SOLARBAN TOXL (3), WITH GRAY SILICONE SEAL)

ISION GLASS W/ SOLARBAN TOXL (2) WITH A ½" AIR SPACE; BOARD LITE: ¼" THK. CLEAR GLASS, WITH BLACK SILICONE

I' THICK INSULATED TEMPERED CLEAR SOLARBAN TOXL VISION GLAZING UNITS (OUTBOARD LITE: 1/4" THK. CLEAR VISION GLASS W/ SOLARBAN TOXL (2) WITH A 1/2" AIR SPACE; INBOARD LITE: 4" THK. CLEAR GLASS, WITH GRAY SILICONE

I" THICK INSULATED TEMPERED SPANDREL GLAZING UNITS (OUTBOARD LITE: 1/4" THK. SPANDREL GLASS, OPACI-COAT DOUBLE COAT WHITE (2) WITH A 1/2" AIR SPACE; INBOARD LITE: 1/4" THK. CLEAR GLASS, WITH GRAY SILICONE SEAL)

I" THICK INSULATED TEMPERED SPANDREL GLAZING UNITS (OUTBOARD LITE: 1/4" THK. GRAY TINT VISION GLASS WITH A 1/2" AIR SPACE; INBOARD LITE: 1/4" THK. CLEAR GLASS W/ GRAY OPACI-COAT (3), WITH BLACK SILICONE SEAL)

[+,+] I" THICK INSULATED TEMPERED SPANDREL GLAZING UNITS (OUTBOARD LITE: 4" THK. CLEAR VISION GLASS WITH A 2" 「+⁺+⁺ AIR SPACE; INBOARD LITE: ½" THK. CLEAR GLASS W/ **GRAY** OPACI-COAT (3), WITH GRAY SILICONE SEAL)

STEEL SCHEDULE

2" THK TEMPERED CLEAR VISION GLASS

SS-I	2" X 3 1/2" X 10 GA. X 12'-0"	STEEL CHANNEL
55-2	2" X 3 1/2" X 10 GA. X 9'-0"	STEEL CHANNEL
55-3	/2" × 3 /2" × 2'-0"	SOLID STEEL BAR
55-4	/2" × 3 /2" × 5'-0"	SOLID STEEL BAR
SS- 5	2" X 3 I/2" X I5'-0"	SOLID STEEL BAR
55-6	2" X 3 I/2" X 0.25" X I2'-0"	STEEL CHANNEL
55-7	2" X 3 1/2" X 10 GA. X 14'-0"	STEEL CHANNEL
55-8	/2" × 3 /2" × 4'-0"	SOLID STEEL BAR
55-9	2" × 3 /2" × 0.25" × 4'-0"	STEEL CHANNEL

ALUMINUM FRAME FINISH

EXTERIOR:

KYNAR XL

COLOR: PLATINUM

INTERIOR:

ANODIZED CLASS

COLOR: CLEAR

ALUMINUM FRAME SYSTEM

US ALUMINUM

SERIES: CM3250 (2 1/2" X 6" CURTAIN WALL) SERIES: CM3150 (2 1/2" X 6" CURTAIN WALL)

SERIES:450 (1 3/4" X 4 1/2" CENTER GLAZED)

ABBREVIATIONS

A.F.F. ~ ABOVE FINISH FLOOR

B.O.M. ~ BOTTOM OF MULLION

~ CENTER LINE

~ DAYLIGHT OPENING

~ DOOR OPENING

F.F. ~ FINISH FLOOR

F.O.C. ~ FACE OF CONCRETE

F.O.M. ~ FACE OF MULLION

F.V. ~ FIELD VERIFY

MEZZ. ~ MEZZANINE FLOOR

N.F.D. ~ NET FRAME DIMENSION

R.C.P. ~ RECESSED CONCRETE PANEL R.O. ~ ROUGH OPENING

S.O.M. ~ SIDE OF MULLION T.O.M. ~ TOP OF MULLION

W.R.O. ~ WINDOW ROUGH OPENING



23846 SUNNYMEAD BLVD. SUITE #6 MORENO VALLEY, CA 92553 B: (951) 243-7614 F: (951) 243-7673

 ∞


DATE: 4/8/08


SCALE: DRAWN: CTB


JOB NO: 017-08


SHEET NO:


|O|













2 ∞

DATE: 4/8/08 SCALE: 3/8"=1'-0"

DRAWN: CTB

JOB NO: 017-08 SHEET NO:





HARRIS GLASS CO.

3918 SOUTH ATLANTIC AVENUE
BELL, CA 90201

ITY OF HOPE AMINI TRANSFUSION MED CTREMINGCOLE


DATE: 4/8/08


SCALE: 3/8"=1'-0"

DRAWN: CTB

JOB NO: 017-08

SHEET NO:






DATE: 4/8/08

SCALE: 3/8"=1'-0

3.06/LOCATION

2nd THRU 3rd FLR. ~ | REQ'D (WEST)




69


DATE: 4/8/08 SCALE: 3/8"=1'-0"


DRAWN: CTB JOB NO: 017-08


SHEET NO: 3.07





CO. AVENUE 7

























23846 SUNNYMEAD BLVD. SUITE #6 MORENO VALLEY, CA 92553 B: (951) 243-7614 F: (951) 243-7673


SCALE: FULL


DRAWN: CTB


JOB NO: 017-08


























 ∞

DATE: 4/8/08

SCALE: FULL

DRAWN: CTB JOB NO: 017-08

